

Serial No. 09/831,432

Art Unit: 1751

RECEIVED
CENTRAL FAX CENTER

NOV 02 2006

In the Claims:


Please enter the following amended claims in the application. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-13 (Canceled)

Claim 14 (Currently amended): A method of rinsing machine-washed tableware materials, said method comprising:

(a) providing a an anionic surfactant free rinse agent comprising an alkoxylated carboxylic acid ester with a narrow homolog distribution of the general formula (I):



wherein $\text{R}^1\text{C}(\text{O})$ represents an aliphatic acyl group having from 8 to 18 carbon atoms, each AlkO independently represents an alkoxylate selected from the group consisting of $\text{CH}_2\text{CH}_2\text{O}$, $\text{CHCH}_3\text{CH}_2\text{O}$ and $\text{CH}_2\text{CHCH}_3\text{O}$, n is a number of from 1 to 20, and R^2 represents an aliphatic alkyl group; and

(b) contacting a tableware material surface with the rinse agent during machine washing of the tableware material surface.

Claim 15 (Previously presented): The method according to claim 14, wherein each AlkO represents a $\text{CH}_2\text{CH}_2\text{O}$, R^2 represents a methyl group, and n is a number of from 5 to 15.

Serial No. 09/831,432


Art Unit: 1751

Claim 16 (Currently amended): The method according to claim 14, wherein the alkoxyated carboxylic acid ester is prepared by reacting a carboxylic acid ester and an alkylene oxide in the presence of calcined hydrotalcite.

Claim 17 (Previously presented): The method according to claim 14, wherein the alkoxyated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.

Claim 18 (Currently amended): A method of rinsing machine-washed tableware materials, said method comprising:

(a) providing a an anionic surfactant free rinse agent comprising (i) an alkoxyated carboxylic acid ester with a narrow homolog distribution of the general formula (I):



wherein $\text{R}^1\text{C}(\text{O})$ represents an aliphatic acyl group, each AlkO independently represents an alkoxyate selected from the group consisting of $\text{CH}_2\text{CH}_2\text{O}$, $\text{CHCH}_3\text{CH}_2\text{O}$ and $\text{CH}_2\text{CHCH}_3\text{O}$, n is a number of from 1 to 20, and R^2 represents an aliphatic alkyl group and (ii) an from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof; and

(b) contacting a tableware material surface with the rinse agent during machine washing of the tableware material surface.

Serial No. 09/831,432


Art Unit: 1751

Claim 19 (Previously presented): The method according to claim 18, wherein the additional nonionic surfactant comprises an alk(en)yl oligoglycoside of the general formula (II):



wherein R^3 represents an alkyl or alkenyl group having from 4 to 22 carbon atoms, each G independently represents a sugar unit containing 5 or 6 carbon atoms and p represents a number of from 1 to 10.

Claim 20 (Previously presented): The method according to claim 18, wherein the additional nonionic surfactant comprises a fatty acid-N-alkyl polyhydroxy alkylamide of the general formula (III):



wherein R^5CO represents an aliphatic acyl group having from 6 to 22 carbon atoms, R^4 represents an alkyl or hydroxyalkyl group having from 1 to 4 carbon atoms, and [Z] represents a linear or branched polyhydroxyalkyl group having from 3 to 12 carbon atoms and from 3 to 10 hydroxyl groups.

Claim 21 (Previously presented): The method according to claim 18, wherein the additional nonionic surfactant comprises a fatty alcohol poly(alkylene)glycol ether of the general formula (V):




wherein R^6 represents an alk(en)yl group having from 8 to 22 carbon atoms, each MO independently represents an alkoxide selected from the group consisting of propylene oxide and butylene oxide, p is a number of from 1 to 15 and m is a number of from 0 to 10.

Serial No. 09/831,432


Art Unit: 1751

Claim 22 (Previously presented): The method according to claim 18, wherein the additional nonionic surfactant comprises a fatty alcohol polyalkylene glycol ether of the general formula (VI):



wherein R^7 represents an alk(en)yl group having from 8 to 22 carbon atoms, r is a number of from 1 to 10 and q is a number of from 0 to 15.

Claim 23 (Previously presented): The method according to claim 18, wherein the additional nonionic surfactant comprises a hydroxy mixed ether of the general formula (VII):



wherein R^8 represents an alk(en)yl group having from 4 to 18 carbon atoms, each R^9 independently represents a hydrogen or a methyl or ethyl group, each R^{10} independently represents an alkyl group having from 2 to 22 carbon atoms, x is a number of from 0 to 10, y is a number of from 1 to 30 and z is the number 1.

Claim 24 (Previously presented): The method according to claim 18, wherein the alkoxyated carboxylic acid ester and the additional nonionic surfactant are present in the rinse agent in a ratio by weight of from 10:90 to 80:20.

Claim 25 (Previously presented): The method according to claim 14, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.

Claim 26 (Previously presented): The method according to claim 25, wherein the acid is present in an amount of from 1 to 50% by weight.

Serial No. 09/831,432

Art Unit: 1751

Claim 27 (Previously presented): The method according to claim 17, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.


Claim 28 (Previously presented): The method according to claim 27, wherein the acid is present in an amount of from 1 to 50% by weight.

Claim 29 (Previously presented): The method according to claim 19, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.

Claim 30 (Previously presented): The method according to claim 29, wherein the acid is present in an amount of from 1 to 50% by weight.

Claim 31 (Currently amended): A An anionic surfactant free rinsing agent comprising:

(a) an alkoxylated carboxylic acid ester with a narrow homolog distribution of the general formula (I):



wherein $\text{R}^1\text{C}(\text{O})$ represents an aliphatic acyl group, each AlkO independently represents an alkoxylate selected from the group consisting of $\text{CH}_2\text{CH}_2\text{O}$, $\text{CHCH}_3\text{CH}_2\text{O}$ and $\text{CH}_2\text{CHCH}_3\text{O}$, n is a number of from 1 to 20, and R^2 represents an aliphatic alkyl group; and

(b) an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.

Serial No. 09/831,432

Art Unit: 1751

Claim 32 (Previously presented): The rinsing agent according to claim 31, further comprising an additional nonionic surfactant selected from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof.

Claim 33 (Previously presented): The rinsing agent according to claim 31, further comprising a solubilizer.

Claim 34 (Previously presented): The rinsing agent according to claim 31, wherein the alkoxyated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.

Claim 35 (Previously presented): The rinsing agent according to claim 31, wherein the acid is present in an amount of from 1 to 50% by weight.

Claim 36 (Previously presented): The rinsing agent according to claim 32, further comprising a solubilizer, wherein the alkoxyated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight, and wherein the acid is present in an amount of from 1 to 50% by weight.